ELSEVIER Clinica Chimica Acta 254 (1996) 197–198

# Author index

## Volume 254 (1996)

Altisent Roca, C., see López Galera, R.M. **254**, 63
Arai, K., see Yoshida, K.-i. **254**, 93
Arbós Via, M.A., see López Galera, R.M. **254**, 63
Arienti, G., see Palmerini, C.A. **254**, 149
Asamoah, A., K. Yanamandra, T.F. Thurmon, R. Richter, R. Green, T. Lakin, C. Martin, A deletion in the angiotensin converting enzyme (ACE) gene is common among African Americans with essential hypertension **254**, 41

Babizhayev, M.A., V.N. Yermakova, N.L. Sakina, R.P. Evstigneeva, E.A. Rozhkova, G.A. Zheltukhina, $N^{a}$-Acetylcarnosine is a prodrug of L-carnosine in ophthalmic application as antioxidant **254**, 1
Barnier, A., see Seta, N. **254**, 131
Besnard, M.-A., see Seta, N. **254**, 131
Brooks, S.A., see Streets, A.J. **254**, 47

Christiansen, M., see Qin, Q.-P. **254**, 113

Durand, G., see Seta, N. **254**, 131
Dwek, M.V., see Streets, A.J. **254**, 47

Egberts, J., W. Soederhuizen, Urine samples before dinner are preferable when studying changes in endogenous nitrate production under uncontrolled dietary conditions **254**, 141
Evstigneeva, R.P., see Babizhayev, M.A. **254**, 1

Floridi, A., see Palmerini, C.A. **254**, 149

Glueck, C.J., see Lang, J.E. **254**, 85
Green, R., see Asamoah, A. **254**, 41

Hanefeld, M., see Leonhardt, W. **254**, 173
Henke, W., see Jung, K. **254**, 97
Hikawa, A., Y. Nomata, T. Suzuki, H. Ozasa, O. Yamada, Soluble transferrin receptor–transferrin complex in serum: measurement by latex agglutination nephelometric immunoassay **254**, 159
Hochedez, F., see Seta, N. **254**, 131
Honda, M., see Yoshida, K.-i. **254**, 93
Hora, C., see Leonhardt, W. **254**, 173
Hosoya, Y., see Yoshida, K.-i. **254**, 93

Idobe, Y., see Murawaki, Y. **254**, 77
Ikuta, Y., see Murawaki, Y. **254**, 77
Ishikawa, Y., see Sumitani, S. **254**, 187

Jaross, W., see Leonhardt, W. **254**, 173
Juárez Giménez, J.C., see López Galera, R.M. **254**, 63
Jung, K., L. Nowak, M. Lein, W. Henke, D. Schnorr, S.A. Loening, What kind of specimen should be selected for determining tissue inhibitor of metalloproteinase-1 (TIMP-1) in blood? **254**, 97

Katoh, H., see Shimizu, K. **254**, 23
Kawasaki, H., see Murawaki, Y. **254**, 77

Lakin, T., see Asamoah, A. **254**, 41
Lang, J.E., P. Wang, C.J. Glueck, Myopathy associated with lipid lowering therapy in patients with previously undiagnosed or undertreated hypothyroidism **254**, 85
Larsen, S.O., see Qin, Q.-P. **254**, 113
Lattke, P., see Leonhardt, W. **254**, 173
Leathem, A.J., see Streets, A.J. **254**, 47
Lein, M., see Jung, K. **254**, 97
Leonhardt, W., M. Hanefeld, G. Müller, C. Hora, D. Meissner, P. Lattke, A. Paetzold, W. Jaross, H.-E. Schroeder, Impact of concentra-

0009-8981/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

tions of glycated hemoglobin, α-tocopherol, copper, and manganese on oxidation of low-density lipoproteins in patients with type I diabetes, type II diabetes and control subjects **254**, 173
Loening, S.A., see Jung, K. **254**, 97
López Galera, R.M., J.C. Juárez Giménez, J.B. Montoro Ronsano, R.M. Segura Cardona, M.A. Arbós Via, C. Altisent Roca, J.M. Tusell Puigbert, Glutathione and cysteine in HIV-infected hemophiliacs **254**, 63

Martin, C., see Asamoah, A. **254**, 41
Masuoka, N., M. Wakimoto, T. Ubuka, T. Nakano, Spectrophotometric determination of hydrogen peroxide: catalase activity and rates of hydrogen peroxide removal by erythrocytes **254**, 101
Matsuura, S., see Shimizu, K. **254**, 23
Meissner, D., see Leonhardt, W. **254**, 173
Minami, R., see Sumitani, S. **254**, 187
Montoro Ronsano, J.B., see López Galera, R.M. **254**, 63
Murawaki, Y., Y. Ikuta, Y. Idobe, H. Kawasaki, Characterization of tissue inhibitor of metalloproteinases-1 in plasma from patients with chronic liver disease **254**, 77
Müller, G., see Leonhardt, W. **254**, 173

Nakano, T., see Masuoka, N. **254**, 101
Nguyen, T.H., see Qin, Q.-P. **254**, 113
Nomata, Y., see Hikawa, A. **254**, 159
Nowak, L., see Jung, K. **254**, 97
Nørgaard-Pedersen, B., see Qin, Q.-P. **254**, 113

Ozasa, H., see Hikawa, A. **254**, 159

Paetzold, A., see Leonhardt, W. **254**, 173
Palmerini, C.A., C. Saccardi, A. Floridi, G. Arienti, Formylcolchicine bound to lactosaminated serum albumin is a more active antifibrotic agent than free colchicine **254**, 149

Qin, Q.-P., T.H. Nguyen, M. Christiansen, S.O. Larsen, B. Nørgaard-Pedersen, Time-resolved immunofluorometric assay of pregnancy-associated plasma protein A in maternal serum screening for Down's syndrome in first trimester of pregnancy **254**, 113

Richter, R., see Asamoah, A. **254**, 41
Rozhkova, E.A., see Babizhayev, M.A. **254**, 1

Saccardi, C., see Palmerini, C.A. **254**, 149
Sakina, N.L., see Babizhayev, M.A. **254**, 1
Satomura, S., see Shimizu, K. **254**, 23
Schnorr, D., see Jung, K. **254**, 97
Schroeder, H.-E., see Leonhardt, W. **254**, 173
Segura Cardona, R.M., see López Galera, R.M. **254**, 63
Seta, N., A. Barnier, F. Hochedez, M.-A. Besnard, G. Durand, Diagnostic value of Western blotting in carbohydrate-deficient glycoprotein syndrome **254**, 131
Shimizu, K., H. Katoh, F. Yamashita, M. Tanaka, K. Tanikawa, K. Taketa, S. Satomura, S. Matsuura, Comparison of carbohydrate structures of serum α-fetoprotein by sequential glycosidase digestion and lectin affinity electrophoresis **254**, 23
Soederhuizen, W., see Egberts, J. **254**, 141
Somos, S., Alloalbuminaemia as a curious laboratory finding **254**, 73
Streets, A.J., S.A. Brooks, M.V. Dwek, A.J. Leathem, Identification, purification and analysis of a 55 kDa lectin binding glycoprotein present in breast cancer tissue **254**, 47
Sumi, S., see Yoshida, K.-i. **254**, 93
Sumitani, S., Y. Ishikawa, R. Minami, Non-radioactive DNA diagnosis of dentatorubral-pallidoluysian atrophy and Machado–Joseph disease using a new primer set **254**, 187
Suzuki, T., see Hikawa, A. **254**, 159

Taketa, K., see Shimizu, K. **254**, 23
Tanaka, M., see Shimizu, K. **254**, 23
Tanikawa, K., see Shimizu, K. **254**, 23
Thurmon, T.F., see Asamoah, A. **254**, 41
Tusell Puigbert, J.M., see López Galera, R.M. **254**, 63

Ubuka, T., see Masuoka, N. **254**, 101

Wakimoto, M., see Masuoka, N. **254**, 101
Wang, P., see Lang, J.E. **254**, 85

Yamada, O., see Hikawa, A. **254**, 159
Yamashita, F., see Shimizu, K. **254**, 23
Yanamandra, K., see Asamoah, A. **254**, 41
Yermakova, V.N., see Babizhayev, M.A. **254**, 1
Yoshida, K.-i., Y. Hosoya, K. Arai, S. Sumi, M. Honda, Serum concentration of the pyridinoline crosslinked carboxyterminal telopeptide of type I collagen and urinary concentration of deoxypyridinoline as markers of bone metastases in human prostate carcinoma **254**, 93

Zheltukhina, G.A., see Babizhayev, M.A. **254**, 1

ELSEVIER Clinica Chimica Acta 254 (1996) 199–201

# Subject index

## Volume 254 (1996)

**Acatalasemic erythrocytes**; Hydrogen peroxide determination; Hydrogen peroxide metabolism; Hydrogen peroxide removal by erythrocytes; Catalase activity **254**, 101

**ACE**; Hypertension; Angiotensin converting enzyme; Polymorphism; Intron **254**, 41

**α1-Acid glycoprotein**; Haptoglobin; α1-Antitrypsin; Transferrin; SDS-PAGE; CDG **254**, 131

**AIDS**; Hemophilia; Glutathione; Cysteine; Antioxidants **254**, 63

**Alloalbuminaemia**; Heredity; Single point mutation **254**, 73

**Angiotensin converting enzyme**; Hypertension; ACE; Polymorphism; Intron **254**, 41

**Antioxidant**; $N^a$-Acetylcarnosine; Prodrug; L-Carnosine; Ophthalmic application; Aqueous humor; Lens; Cataract; Liposomes **254**, 1

**Antioxidants**; AIDS; Hemophilia; Glutathione; Cysteine **254**, 63

**α1-Antitrypsin**; Haptoglobin; α1-Acid glycoprotein; Transferrin; SDS-PAGE; CDG **254**, 131

**Aqueous humor**; $N^a$-Acetylcarnosine; Prodrug; L-Carnosine; Ophthalmic application; Lens; Cataract; Antioxidant; Liposomes **254**, 1

**Bone metastasis**; Serum ICTP; Urinary deoxypyridinoline; Prostate carcinoma **254**, 93

**Breast cancer**; *Helix pomatia* lectin (HPA); IgAl **254**, 47

**CAG trinucleo-tide repeat**; Dentatorubral-pallidoluysian atrophy; Machado–Joseph disease; Hot start **254**, 187

**Carbohydrate structure**; α-Fetoprotein; HCC; Glycosidase; Lectin **254**, 23

**Carbon tetrachloride**; Colchicine; Formylated colchicine; Hydroxyproline; Liver fibrosis; Lactosaminated serum albumin **254**, 149

**Catalase activity**; Hydrogen peroxide determination; Hydrogen peroxide metabolism; Hydrogen peroxide removal by erythrocytes; Acatalasemic erythrocytes **254**, 101

**Cataract**; $N^a$-Acetylcarnosine; Prodrug; L-Carnosine; Ophthalmic application; Aqueous humor; Lens; Antioxidant; Liposomes **254**, 1

**CDG**; Haptoglobin; α1-Acid glycoprotein; α1-Antitrypsin; Transferrin; SDS-PAGE **254**, 131

**Colchicine**; Carbon tetrachloride; Formylated colchicine; Hydroxyproline; Liver fibrosis; Lactosaminated serum albumin **254**, 149

**Conjugated dienes**; Low-density lipoprotein; Diabetes mellitus; α-Tocopherol; Copper; Manganese **254**, 173

**Copper**; Low-density lipoprotein; Conjugated dienes; Diabetes mellitus; α-Tocopherol; Manganese **254**, 173

**Cysteine**; AIDS; Hemophilia; Glutathione; Antioxidants **254**, 63

0009-8981/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

**Dentatorubral-pallidoluysian atrophy**; Machado–Joseph disease; CAG trinucleo-tide repeat; Hot start **254**, 187

**Diabetes mellitus**; Low-density lipoprotein; Conjugated dienes; α-Tocopherol; Copper; Manganese **254**, 173

**Dietary intake**; Nitrate; Nitrate/creatinine ratio; Urine; Nitric oxide; Men **254**, 141

**α-Fetoprotein**; Carbohydrate structure; HCC; Glycosidase; Lectin **254**, 23

**Formylated colchicine**; Carbon tetrachloride; Colchicine; Hydroxyproline; Liver fibrosis; Lactosaminated serum albumin **254**, 149

**Glutathione**; AIDS; Hemophilia; Cysteine; Antioxidants **254**, 63

**Glycosidase**; α-Fetoprotein; Carbohydrate structure; HCC; Lectin **254**, 23

**Haptoglobin**; α1-Acid glycoprotein; α1-Antitrypsin; Transferrin; SDS-PAGE; CDG **254**, 131

**HCC**; α-Fetoprotein; Carbohydrate structure; Glycosidase; Lectin **254**, 23

***Helix pomatia* lectin (HPA)**; Breast cancer; IgAl **254**, 47

**Hemophilia**; AIDS; Glutathione; Cysteine; Antioxidants **254**, 63

**Heredity**; Alloalbuminaemia; Single point mutation **254**, 69

**Hot start**; Dentatorubral-pallidoluysian atrophy; Machado–Joseph disease; CAG trinucleo-tide repeat **254**, 187

**Hydrogen peroxide determination**; Hydrogen peroxide metabolism; Hydrogen peroxide removal by erythrocytes; Catalase activity; Acatalasemic erythrocytes **254**, 101

**Hydrogen peroxide metabolism**; Hydrogen peroxide determination; Hydrogen peroxide removal by erythrocytes; Catalase activity; Acatalasemic erythrocytes **254**, 101

**Hydrogen peroxide removal by erythrocytes**; Hydrogen peroxide determination; Hydrogen peroxide metabolism; Catalase activity; Acatalasemic erythrocytes **254**, 101

**Hydroxyproline**; Carbon tetrachloride; Colchicine; Formylated colchicine; Liver fibrosis; Lactosaminated serum albumin **254**, 149

**Hypertension**; Angiotensin converting enzyme; ACE; Polymorphism; Intron **254**, 41

**IgAl**; Breast cancer; *Helix pomatia* lectin (HPA) **254**, 47

**Intron**; Hypertension; Angiotensin converting enzyme; ACE; Polymorphism **254**, 41

**Iron-deficient anemia**; Transferrin receptor; Serum transferrin receptor–transferrin complex; Nephelometric immunoassay; Standardization **254**, 159

**Lactosaminated serum albumin**; Carbon tetrachloride; Colchicine; Formylated colchicine; Hydroxyproline; Liver fibrosis **254**, 149

**L-Carnosine**; $N^{\alpha}$-Acetylcarnosine; Prodrug; Ophthalmic application; Aqueous humor; Lens; Cataract; Antioxidant; Liposomes **254**, 1

**Lectin**; α-Fetoprotein; Carbohydrate structure; HCC; Glycosidase **254**, 23

**Lens**; $N^{\alpha}$-Acetylcarnosine; Prodrug; L-Carnosine; Ophthalmic application; Aqueous humor; Cataract; Antioxidant; Liposomes **254**, 1

**Liposomes**; $N^{\alpha}$-Acetylcarnosine; Prodrug; L-Carnosine; Ophthalmic application; Aqueous humor; Lens; Cataract; Antioxidant **254**, 1

**Liver fibrosis**; Carbon tetrachloride; Colchicine; Formylated colchicine; Hydroxyproline; Lactosaminated serum albumin **254**, 149

**Liver disease**; Metalloproteinases; TIMP **254**, 77

**Low-density lipoprotein**; Conjugated dienes; Diabetes mellitus; α-Tocopherol; Copper; Manganese **254**, 173

**Machado–Joseph disease**; Dentatorubral-pallidoluysian atrophy; CAG trinucleo-tide repeat; Hot start **254**, 187

**Manganese**; Low-density lipoprotein; Conjugated dienes; Diabetes mellitus; α-Tocopherol; Copper **254**, 173

**Men**; Nitrate; Nitrate/creatinine ratio; Urine; Dietary intake; Nitric oxide **254**, 141

**Metalloproteinases**; TIMP; Liver disease **254**, 77

**$N^a$-Acetylcarnosine**; Prodrug; L-Carnosine; Ophthalmic application; Aqueous humor; Lens; Cataract; Antioxidant; Liposomes **254**, 1

**Nephelometric immunoassay**; Transferrin receptor; Serum transferrin receptor–transferrin complex; Standardization; Iron-deficient anemia **254**, 159

**Nitrate/creatinine ratio**; Nitrate; Urine; Dietary intake; Nitric oxide; Men **254**, 141

**Nitrate**; Nitrate/creatinine ratio; Urine; Dietary intake; Nitric oxide; Men **254**, 141

**Nitric oxide**; Nitrate; Nitrate/creatinine ratio; Urine; Dietary intake; Men **254**, 141

**Ophthalmic application**; $N^a$-Acetylcarnosine; Prodrug; L-Carnosine; Aqueous humor; Lens; Cataract; Antioxidant; Liposomes **254**, 1

**Polymorphism**; Hypertension; Angiotensin converting enzyme; ACE; Intron **254**, 41

**Pregnancy-associated plasma protein A**; Pregnancy; Screening for Down's syndrome; Time-resolved immunofluorescence **254**, 113

**Pregnancy**; Pregnancy-associated plasma protein A; Screening for Down'ssyndrome; Time-resolved immunofluorescence **254**, 113

**Prodrug**; $N^a$-Acetylcarnosine; L-Carnosine; Ophthalmic application; Aqueous humor; Lens; Cataract; Antioxidant; Liposomes **254**, 1

**Prostate carcinoma**; Serum ICTP; Urinary deoxypyridinoline; Bone metastasis **254**, 93

**Screening for Down'ssyndrome**; Pregnancy-associated plasma protein A; Pregnancy; Time-resolved immunofluorescence **254**, 113

**SDS-PAGE**; Haptoglobin; α1-Acid glycoprotein; α1-Antitrypsin; Transferrin; CDG **254**, 131

**Serum ICTP**; Urinary deoxypyridinoline; Prostate carcinoma; Bone metastasis **254**, 93

**Serum transferrin receptor–transferrin complex**; Transferrin receptor; Nephelometric immunoassay; Standardization; Iron-deficient anemia **254**, 159

**Single point mutation**; Alloalbuminaemia; Heredity **254**, 69

**Standardization**; Transferrin receptor; Serum transferrin receptor–transferrin complex; Nephelometric immunoassay; Iron-deficient anemia **254**, 159

**Time-resolved immunofluorescence**; Pregnancy-associated plasma protein A; Pregnancy; Screening for Down'ssyndrome **254**, 113

**TIMP**; Metalloproteinases; Liver disease **254**, 77

**α-Tocopherol**; Low-density lipoprotein; Conjugated dienes; Diabetes mellitus; Copper; Manganese **254**, 173

**Transferrin**; Haptoglobin; α1-Acid glycoprotein; α1-Antitrypsin; SDS-PAGE; CDG **254**, 131

**Transferrin receptor**; Serum transferrin receptor–transferrin complex; Nephelometric immunoassay; Standardization; Iron-deficient anemia **254**, 159

**Urinary deoxypyridinoline**; Serum ICTP; Prostate carcinoma; Bone metastasis **254**, 93

**Urine**; Nitrate; Nitrate/creatinine ratio; Dietary intake; Nitric oxide; Men **254**, 141